

On the basis of the test results, the carpet is categorised according to a domestic and commercial performance area classification



Class 21 – Domestic moderate and light usage
suited for rooms and bedrooms



Class 22 – Domestic general and medium usage
suited for living rooms and rooms



Class 22+ – Domestic normal usage
suited for living rooms, entrance halls, hallways and offices



Class 23 – Domestic heavy usage
suited for living rooms, entrance halls, hallways and offices



Class 31 – Moderate usage
suited for storage rooms, stores, hotel rooms, churches, residential facilities, conference and meeting rooms, living rooms, restaurants and function rooms



Class 32 – Normal usage
suited for libraries, cinemas, theatres, stores, institutions, cafeterias, canteens, offices, financial institutions, nursing homes, restaurants, function rooms, educational institutions, trains and busses



Class 33 – Heavy usage
suited for departure halls, air terminals, cinemas, theatres, department stores, institutions, cafeterias, service areas, elevators, hotel reception halls, entrance areas, offices, educational institutions, trains and busses



Permanently suitable for castor chairs



Permanently antistatic



Suitable for castor chairs – occasionally



Suitable for heated floors



Suitable for stairs



Fire classification:
In most European countries, class C₁₁-s1 is required before a carpet can be used in escape routes



Suitable for stairs – residential

ege[®]

THE URGE TO EXPLORE SPACE